

Our Maintenance Kits include the most important items you'll need to keep your machine running like new - in one convenient package. Kits include: belt, engine oil, fuel stabilizer, air filter(s), spark plug, oil filter (as necessary) and a nylon Mow-Ball® Support.

#19454 DR® TRIMMER/MOWER Maintenance Kit (6.25 SPRINT & 6.50 PRO models) \$29.95

#19459 DR® TRIMMER/MOWER Maintenance Kit (8.25 COMMERCIAL model) \$29.95

#20388 DR® TRIMMER/MOWER Maintenance Kit (8.25 Self-Propelled model) \$29.95

Note: Please call for older models

#### BEAVER BLADE® cuts trees up to 3" thick

The patented BEAVER BLADE® Attachment, which easily installs on any DR® TRIMMER/MOWER (except COMPACT and pre-2000 SPRINT® models), allows you to cut brush and even small trees up to 3" thick! The chainsaw cutting action is fast, with minimal binding. Easy to sharpen in the field.



#12539 12" BEAVER BLADE® \$59.95

Cuts saplings up to 3" in diameter (5" in diameter on pre-2001 PRO and COMMERCIAL models).

#12540 12" BEAVER BLADE® Package \$79.95 Includes heavy-duty Aluminum Mow-Ball® Support plus sharpening file.



#### MOW-BALL® Support designed for use with the **BEAVER BLADE®**

Our heavy-duty cast-aluminum Mow-Ball® Support should always

be used with the BEAVER BLADE® Attachment, due to the extra heat that can be generated when sawing.

#12113 Aluminum Mow-Ball® Support \$19.95


ACCESSORIES

## **ALWAYS INSIST ON GENUINE** DR CUTTING CORD!

Our Cutting Cord is Formulated Specifically for the DR® TRIMMER/MOWER...



When we invented the DR® TRIMMER/MOWER, no one had ever considered putting a 6 horsepower engine on a string trimmer. Until then, string trimmers were powered by small 2-cycle engines and used small diameter nylon cutting cords. But our machine demanded a much stronger, more flexible, more abrasion-resistant cord. Even today, the nylon in cheaper department store cord is often diluted with inexpensive fillers to reduce costs. And that's why it breaks so easily when used on our machines. We've worked over the years to find the ideal cord formula to match the power and speed of the DR®TRIMMER/MOWER.



- 20 years of testing.
- · Better raw materials give our cord 3 to 4 times the life of inferior compounds.
- Conditioning our cord (for proper moisture content) improves wear life 5 times!

#### Premium-Quality Cutting Cord

#14557 130 mil 24 Pre-cut (Orange) \$8

#14558 155 mil 24 Pre-cut (Green) \$12

#19662 175 mil 24 Pre-cut (Blue Spiral) \$16

#19658 130 mil 120' Roll (Orange) \$14.95

#19659 155 mil 100' Roll (Green) \$17.95

#19660 175 mil 80' Roll (Blue Spiral) \$19.95

Note: Orange cord is not for machines with serial #111475 and higher.





TRENCHES • FOOTINGS • DRAINAGE DITCHES • SEPTIC SYSTEMS • SMALL PONDS • STUMF HOLES FOR TREES • STONE REMOVAL • SPREADING DIRT AND GRAVEL • WATER AND POW

# ATTENTION TRACTOR OWNERS!

3-Point Hitch attachments can be a hassle to connect, and they put a lot of wear and tear on your tractor, besides. The DR® Towable Backhoe is always ready to go, and it costs significantly less than a digging attachment does!



# NO TRACTOR? NO PROBLEM!

We established two key requirements for a DR® Towable Backhoe. It had to:


- 1 Deliver all the performance of a compact tractor-mounted backhoe at a fraction of the cost, and...
- 2 Be completely self-powered.

THE RESULT: a totally self-contained digging machine, which can be used free-standing or connected to your tow vehicle.



- · All the digging power of a tractor-mount backhoe
- Tows with a riding mower, ATV, UTV, tractor or truck
- Dig trenches and holes over 6 feet deep

You don't need an expensive utility tractor to get the earthmoving power of a backhoe. The DR® Towable Backhoe is self-powered and handles big digging jobs with ease. It's compact size goes where larger machines can't, yet it has plenty of power for big digging projects. The no-nonsense heavy-duty construction guarantees reliable performance. You'll get all the digging power and performance of a tractor-mounted backhoe, at a fraction of the cost.



Think about how far you would be willing to drive a tractor — or tow it on a trailer — and you'll understand why the DR\* Towable Backhoe is such a good choice for landscapers and small contractors.



HIGHWAY TOWABLE Using a common 2" ball hitch, the DR\* Towable Backhoe is towable at speeds up to 45 mph.



OFF-ROAD The DR® Backhoe can easily be pulled with an ATV or a Lawn Tractor, allowing for quick and easy transport to jobsites.



## FULL-SIZE FEATURES IN A COMPACT SIZE MAKE THIS A DIFFERENT KIND OF DIGGER!





## STABILIZERS PROVIDE A SAFE OPERATING POSITION

Support legs pin in place and extend 9' 9". The wide stance provides extra stability for safe operation.



large 10-gallon hydraulic fluid capacity insures maximum oil cooling and

reduces temperatures, for longer life.

See the DR® TOWABLE BACKHOE in action on our website! www.DRbackhoe.com


Or, call for a Free DVD:

extra stability for safe operation. 1-800-376-9637

#### COMPACT SIZE FOR EASY TRANSPORT

The compact size of the DR® Towable Backhoe makes it easy to haul around your property. The 2" ball hitch can be used with an ATV, UTV. tractor or truck.





116" long



#### **16-INCH BUCKET**

Get an extra 4" of bucket width for faster digging and easier lifting of large stones, etc.

#25358 16-Inch Bucket \$350 (\$34.95)

#### 9-INCH BUCKET

Narrow bucket digs precisely. Ideal for installing electric and plumbing lines, and especially close quarters.

#25357 9-Inch Bucket \$250 (\$29.95)

#### RIPPER TOOTH

Cuts through roots, breaks through frozen ground.

#25355 Ripper Tooth \$199 (\$24.95)

#### **GET THE FULL SET AND SAVE \$100!**

Order the 9" Bucket, 16" Bucket and Ripper Tooth together (along with the 12" Bucket that comes standard with the Towable Backhoe) and you'll be prepared for any digging project.

Purchased separately: \$799 Purchase the package: SAVE \$100!

#26331 Backhoe Attachment Package \$699 (\$74.95)



64" wide



16-INCH BUCKET comes standard.

#### ROAD TOWING KIT

Everything you need to go road-towable! Includes fenders, lights and wiring harness. #25620 Road Towing Kit \$149



Item #26025

DR® TOWABLE BACKHOE Manual-Start \$5,499 List \$5,999

ENGINE: 6 HP Subaru/Robin overhead cam with cast-iron cylinder sleeve. ENGINE WARRANTY: 2 years residential or commercial.

MACHINE SPECIFICATIONS: Maximum digging depth: 6' 4.5"; Horizontal Reach: 100"; Breakout force: 1,950 lbs.; Bucket rotation: 147 degrees; Hitch type: 2" ball hitch;

FREE SHIPPING

4-YEAR WARRANTY CASH SAVINGS OF \$500


Maximum towing speed: 45 mph; Weight: 960 lbs.

MACHINE WARRANTY: 2 years residential/1 year commercial.

#25166 2-Year Extended Warranty \$289 **NOW FREE** 








"The first thing I said to my wife after using the ROTO-HOG is, 'That's the best money I ever spent. It's worth every penny."

"I would recommend the ROTO-HOG to anybody, especially if they have a big garden. I make 50% fewer passes with the ROTO-HOG than I did with my rear-tine tiller. And the DR goes much deeper than my rear-tine tiller did. The soil gets mixed up better and aerated much better. It saves me a lot of work."

"How things are built is important to me. And when you get a piece of equipment that's well made, you don't replace it. You keep using it. That's what the DR does for me."



## TILL 3-FEET WIDE AND A FULL 7-1/2" DEEP!

24 TINES CHOP AND CHURN SOIL Measuring 3 feet across, the tines are set in a 4-blade pattern for aggressive tilling and smooth operation. With each pass the soil is broken, chopped, and churned into a loose mix that's ideal for planting.

- Tows behind ATVs, riding mowers, tractors
- Breaks ground and turns soil faster and much easier than any walk-behind tiller
- Push-button tilling depth adjustment

As it's pulled behind your towing vehicle, the ROTO-HOG™ POWER TILLER does all the work of breaking and loosening hardpacked soil without the struggle that comes with hard-to-control front- or rear-tine tillers. Instead, 100% of the ROTO-HOG™ TILLER's power is transferred to 24 steel bolo tines. As the tines spin at over 230 rpm, they break and chop hardpacked soil, churning it thoroughly into a soft, loose mix that's ideal for planting. In no time, a 3-foot wide swath is tilled to perfection. And it happens while you ride along in comfort.



You control all of the tiller's important functions as you ride.
Raise and lower the tines, operate the optional Powered Spreader and Culti-packer Attachments, and start and stop the tiller's engine (electric-start model only) — all with this remote control.



## EXPAND YOUR GARDENS EFFORTLESSLY!

**TEND MORE SPACE IN LESS TIME** Because it tills a swath 3-feet wide, the DR® ROTO-HOG™ Power Tiller lets you manage larger gardens and more gardens easily. So expand your garden ... put in a new flower bed ... or plant an herb patch. With remarkable sod busting power, the ROTO-HOG™ Power Tiller will prepare a seedbed quickly, so you can start planting and enjoy your new garden.















## Powered depth control!



#### START SHALLOW AND WORK YOUR WAY DOWN

You'll always till at the perfect depth. With a remote control you lower the tines into the soil, tilling deep or shallow, depending on the conditions.



#### ACTUATOR KEEPS TINES WHERE YOU SET THEM

A battery-powered actuator raises and lowers the wheels, to raise and lower the tines. A holding force of 250 lbs. ensures the depth remains where you set it.

CASH SAVINGS UP TO \$369



#23649 2-Year Extended Warranty \$359 NOW FREE

MODEL	SPECS	ENGINE	TOWING VEHICLE REQUIREMENTS	MACHINE AND ENGINE WARRANTY	PRICE	SAVINGS
MANUAL- START #TPT900M	LENGTH: 62" WIDTH: 39" HEIGHT: 32" WEIGHT: 259 LBS.	9.00 FT/LBS TORQUE BRIGGS & STRATTON OVERHEAD VALVE ENGINE	LAWN OR GARDEN TRACTOR, UTILITY TRACTOR OR ATV	2 YEARS RESIDENTIAL USE; 90 DAYS COMMERCIAL USE.	List Price \$2,499 \$2,249 <sup>10</sup>	SAVE \$249 <sup>90</sup> !
ELECTRIC- START #TPT900E	LENGTH: 62" WIDTH: 39" HEIGHT: 32" WEIGHT: 264 LBS.	9.00 FT/LBS TORQUE BRIGGS & STRATTON OVERHEAD VALVE ENGINE	LAWN OR GARDEN TRACTOR, UTILITY TRACTOR OR ATV	2 YEARS RESIDENTIAL USE; 90 DAYS COMMERCIAL USE.	List Price \$2,699 \$2,429 <sup>10</sup>	SAVE \$269 <sup>90</sup> !
PRO PACKAGE #TPT900P	Includes Electric-Start model plus the Spreader Attachment and the Culti-packer Attachment. You'll also receive an extra \$100 package savings by ordering everything at once, versus purchasing these options separately.				List Price \$3,423 \$3,053 <sup>10</sup>	SAVE \$369 <sup>90</sup> !

#### ACCESSORIES

#### HILLER ADDS WEEKS TO YOUR GROWING SEASON

Now you can add 2-3 weeks to your growing season, every year. Attach the Hiller to your machine and it will mound up soil into perfect raised beds. In the spring, these beds will dry out and warm up faster because they have more surface area exposed to the sun. In the fall, they'll stay warmer longer for the same reason.

#26087 Hiller Attachment \$99.95





## **EASY HOOK-UP**


#### SIMPLE HOOK-UP TO ANY PIN HITCH

You'll never have to do any lifting to hook up to the DR® ROTO-HOG™ Power Tiller. Simply use the Remote Control to raise or lower the tiller's tongue to match the height of the pin hitch on your riding mower, ATV or lawn tractor.

### ROLL OVER IT

#### LARGE 14" DIAMETER WHEELS PROVIDE STABILITY

5-1/2" wide pneumatic wheels can be lowered remotely from your towing vehicle for easy turning or for transport - even over rough ground.



### SMOOTH RIDE

#### SMOOTH-TRAK™ HITCH ENSURES A COMFORTABLE RIDE

The SMOOTH-TRAK™ shock-absorbing hitch absorbs jolts so that forward motion from the tiller is not transmitted directly to the towing vehicle and to the operator. This provides smoother, easier operation, especially in soil that has rocks or roots.

#### SPREAD SEED, LIME OR FERTILIZER **EVENLY AND FAST**

When you need to start a new lawn or weed and feed your current lawn, spread everything from fertilizer to seed with this high-volume spreader. The Spreader Attachment can be operated from the towing vehicle by using the Remote Control. Spreads material in a path up to 12 feet wide. Steel frame.



corrosion-resistant polyethylene hopper, flow control lever to regulate the amount of material being spread. 27"l x 21"h x 30"w.

#23275 Spreader Attachment \$349 FREE SHIPPING!

#### **CULTI-PACKER** IMPROVES SEEDBED FOR MORE COMPLETE GERMINATION

A must-have tool for best results when planting cover crops, grass seed for lawns, food plots. wildflower mixes and other broadcasted seeds. Combines a roller of 16 polyethylene packer



wheels with a rugged steel frame. Use the Culti-packer after tilling to break up clumps of dirt, remove air pockets and make a smooth and level planting bed. After seed has been broadcast, the roller gently firms the soil around the seeds, ensuring shallow seed placement and excellent seed-to-soil contact. 24"l x 12"h x 38"w.


#23640 Culti-packer Attachment \$375 FREE SHIPPING!

#### MAINTENANCE KIT

Includes air filter, belt, spark plug, 4 shear pins, 4 cotter pins, oil, fuel stabilizer.

#23648 Maintenance Kit \$49.95

## TWICE THE POWER OF OTHER MINI-TILLERS, PLUS ELECTRIC START!



For smaller tilling jobs, our DR® ROTO-HOG™ Mini Tiller may be all the machine you'll ever need. Equipped with a powerful 43cc engine, the ROTO-HOG" Mini-Tiller makes fast work of many gardening chores. At 42 lbs. it's lightweight for easy handling, but it has the heft to dig deep even in hard soil, without bouncing around like other mini-tillers. The result is soft, loose soil that's ready for planting. And its 10" tilling width allows you to go where big tillers never could — for tilling small gardens, cultivating weeds between planted rows, and for flower beds. 10" tilling depth. 2-year warranty in residential use.

NOW **GET FREE** SHIPPING! **EASY turn-key** electric-start. No pull-starting!

43cc engine has TWICE the power of other mini tillers!

#26095 DR® ROTO-HOG" Mini Tiller List \$449 Now \$399 Plus, get a FREE Wheel Kit - a \$59.95 value!

#26366 2-YEAR EXTENDED WARRANTY \$49:95 NOW FREE

### Get the perfect blend of tilling strength and maneuverability



Bumper Guard

• 176 lbs.